

L Number	Hits	Search Text	DB	Time stamp
-	0	345/339.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 16:41
-	391	345/856.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 16:42
-	46	345/857.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 16:42
-	748	(compar\$5 with image) same (coordinate) same (point\$3)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:00
-	240	((compar\$5 with image) same (coordinate) same (point\$3)) same (template or reference)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:02
-	21	((compar\$5 with image) same (coordinate) same (point\$3)) same (template or reference)) and 345/\$.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:02
-	2	(compar\$5 with (image or icon or display) with template) same (vicinity with (cursor or point\$3))	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:29
-	1	6009194.pn.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:41
-	852	((image or icon or display) with template) same (point\$3 or cursor)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:43
-	363	((image or icon or display) with template) same (point\$3 or cursor)) same (position or coordinate)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:45
-	48	((image or icon or display) with template) same (point\$3 or cursor)) same (position or coordinate)) and 345/\$.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 17:45
-	78919	(PDA or (personal digital assistant)) same (cursor or point\$ or pen)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:12
-	78940	(PDA or (personal digital assistant)) same (cursor or point\$4 or pen)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:16
-	6005	((PDA or (personal digital assistant)) same (cursor or point\$4 or pen)) and 345/\$.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:18
-	7	((PDA or (personal digital assistant)) same (cursor or point\$4 or pen)) and 345/\$.CCLS.) and (compar\$3 with (image or icon or display) with template)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:16
-	1344	(PDA or "personal digital assistant") same (cursor or point\$4 or pen)	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:17
-	220	((PDA or "personal digital assistant") same (cursor or point\$4 or pen)) and 345/\$.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:19
-	62	((PDA or "personal digital assistant") same (cursor or point\$4 or pen)) and (345/856 or 345/857 or 345/858 or 345/157 or 345/159 or 345/159 or 345/160 or 345/173 or 345/169).CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:22
-	180	((cursor or point\$ or pen) with accurat\$4) same (portable or handheld or PDA or "personal digital assistant")	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:26
-	180	((cursor or point\$4 or pen) with accurat\$4) same (portable or handheld or PDA or "personal digital assistant")	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:42
-	36	((accura\$5 or precis\$3) with (point\$3 or click\$3)) same (handheld or PDA or "personal digital assistant")	USPAT; US-PGPUB; IBM_TDB	2002/10/29 18:54

	619	345/179.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 19:13
	34591	palm	USPAT; US-PGPUB; IBM_TDB	2002/10/29 19:14
	94	palm.as.	USPAT; US-PGPUB; IBM_TDB	2002/10/29 19:14
	10331	(compar\$5 or match\$3) with ((image or icon or display) with (template or reference))	USPAT; US-PGPUB; IBM_TDB	2002/10/30 11:30
	135	((compar\$5 or match\$3) with ((image or icon or display) with (template or reference))) same ((pointing adj device) or cursor or mouse or click\$3)	USPAT; US-PGPUB; IBM_TDB	2002/10/30 11:33
	56	(((compar\$5 or match\$3) with ((image or icon or display) with (template or reference))) same ((pointing adj device) or cursor or mouse or click\$3)) same (position or coordinat\$5)	USPAT; US-PGPUB; IBM_TDB	2002/10/30 11:34
	1	5404458.pn.	USPAT; US-PGPUB; IBM_TDB	2002/10/30 11:45
	13	("4334266"   "4409836"   "4587630"   "4760386"   "4886941"   "4899138"   "4903012"   "5025411"   "5027109"   "5157384"   "5179368"   "5187467"   "5189403").PN.	USPAT	2002/10/30 11:49
	1	5786810.pn.	USPAT; US-PGPUB; IBM_TDB	2002/10/30 11:55
	4	("4464655"   "4523188"   "4698626"   "4710758").PN.	USPAT	2002/11/04 09:57
	26	("3668654"   "3873770"   "3875331"   "3995269"   "3997891"   "4009338"   "4267443"   "4286289"   "4295135"   "4305135"   "4317005"   "4346376"   "4384201"   "4386232"   "4386346"   "4389711"   "4396977"   "4413314"   "4424572"   "4432360"   "4442317"   "4444998"   "4476463"   "4514688"   "4553091"   "4577057").PN.	USPAT	2002/11/04 10:09
	1188	345/156.CCLS.	USPAT; US-PGPUB; IBM_TDB	2002/11/04 10:20
	11	345/156.CCLS. and (((image or icon or display) with template) same (correct\$3 or match\$3 or extract\$3))	USPAT; US-PGPUB; IBM_TDB	2002/11/04 10:29
	135	345/156.CCLS. and ((image or display) same (position\$3 or coordinat\$3) same (correct\$3 or match\$3) )	USPAT; US-PGPUB; IBM_TDB	2002/11/04 10:32
	125	(image or display) same ("hot spot" or hotspot) same (template or reference or database or storage)	USPAT; US-PGPUB; IBM_TDB	2002/11/04 15:39
	11	("4941111"   "5041992"   "5226109"   "5287448"   "5307457"   "5317680"   "5371514"   "5448688"   "5526020"   "5588093"   "5590262").PN.	USPAT	2002/11/04 15:17
	129	(image or display) same ("hot spot" or hotspot or "hit detection") same (template or reference or database or storage)	USPAT; US-PGPUB; IBM_TDB	2002/11/04 15:40
	4	((image or display) same ("hot spot" or hotspot or "hit detection") same (template or reference or database or storage)) and ("hit detection")	USPAT; US-PGPUB; IBM_TDB	2002/11/04 15:40
	1	5,448,688.pn.	USPAT; US-PGPUB; IBM_TDB	2002/11/04 17:02
	44701	(cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:20

	1	"L1" same ((correct\$3 or adjust\$3 or chang\$ or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:21
	2907	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 15:48
	44	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same (resolution)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 15:49
	1	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same ("personal digital assistant" or PDA)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:05
	25	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same ((template or reference or model) near3 image)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:20
	1541	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:27
	1630	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:29
	0	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) and 382/209.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:29
	699	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:29
	14236	(correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 (cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location) near7 image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:39
	6471	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:46
	626	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) same ((template or reference) near4 (image))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:44
	36	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:44

	492	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:48
	0	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccis.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:49
	15	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and ((hit near2 detect\$3) or (hot near2 (spot or area)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:51
51824	51824	SUZUKI.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:03
	129	SUZUKI-YASUHIRO.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:06
	3	SUZUKI-YASUHIRO.in. and (cursor)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:06
	0	YASUHIRO-SUZUKI.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:06
	24	SUZUKI-YASUHIRO.in. and (hot spot)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:07
	0	SUZUKI-YASUHIRO.in. and ("hot spot")	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:07
	13	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and ("hot spot" or "hit detection")	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:08
	56	("hot spot" or "hit detection") near4 (image) with (cursor or mouse or point\$3 or stylus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 17:15
	13	("5479526"   "5642131"   "5757358"   "5844557"   "5917486"   "5986639"   "5990862"   "6014127"   "6034689"   "6049325"   "6057827"   "6075537"   "6078935").PN.	USPAT	2003/04/06 17:23
	9	("4601003"   "5202671"   "5317680"   "5347628"   "5349658"   "5394521"   "5442736"   "5463728"   "5737553").PN.	USPAT	2003/04/07 10:28
	2	5844557.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 14:43

	9	("4601003"   "5202671"   "5317680"   "5347628"   "5349658"   "5394521"   "5442736"   "5463728"   "5737553").PN.	USPAT	2003/04/07 14:43
	303	((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 14:53
	0	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) same (template)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 14:56
	128	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:40
	8	("4698625"   "4903012"   "5164585"   "5227622"   "5243332"   "5294792"   "5502514"   "5528263").PN.	USPAT	2003/04/07 15:35
	234	382/313.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:41
	2	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) and 382/313.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:41
	3	382/313.ccls. and (correct\$3 near7 ((point\$3 or cursor) near4 (location or position or spot or coordinat\$3)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:48
	5	382/313.ccls. and ((correct\$3 or shift\$3 or adjust\$3 or reallocat\$3 or modify\$3) near7 ((point\$3 or cursor) near4 (location or position or spot or coordinat\$3)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:50
	19	(calculat\$3 or determin\$3 or obtain\$3 or comput\$3 or estimat\$3 or evaluat\$3) with (((hot spot" or hotspot) and (cursor or pointing or mouse)) near6 (position or location or coordinat\$3 or distance))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/07 15:57
	6	("4586035"   "4984152"   "5146211"   "5146212"   "5179656"   "5298890").PN.	USPAT	2003/04/07 15:59
	6	5657050.URPN.	USPAT	2003/04/07 16:00
	13	("5119079"   "5177328"   "5386219"   "5452414"   "5510813"   "5642490"   "5761681"   "5777605"   "5821930"   "5825352"   "5854988"   "6040824"   "6211856").PN.	USPAT	2003/04/07 18:07
	13924	(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3) near5 (location or position or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:10
	48	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3) near5 (location or position or coordinat\$3))) same (template)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:14
	1012	(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:10

	2	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) same (template)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:14
	373	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:24
	4	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) same ("hot spot" or hotspot)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:16
	122	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) with image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/08 15:29
	4894	(cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or relocation\$3 or re-location\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 19:49
	35	((cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or relocation\$3 or re-location\$3)) same (hotspot or "hot spot" or hit)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 20:39
	6	("4686522"   "4725829"   "5307457"   "5583984"   "5617117"   "5745715").PN.	USPAT	2003/04/17 20:02
	6	((cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or relocation\$3 or re-location\$3)) same (hotspot or "hot spot" or (hit near2 detect\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 20:41
	12029	YASUHIRO.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:01
	189	(hit near3 detect\$3).ti.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:07
	27	("hit detection").ti.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:11
	2	5448688.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:19
	3	("4870599"   "4982345"   "5208909").PN.	USPAT	2003/04/17 21:11
	8	5448688.URPN.	USPAT	2003/04/17 21:14
	139	(("hot spot" or hotspot or "hit detection") with (cursor or click or mouse or point\$3)).ab.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:45

	3204	((image or icon or region or area) near7 ("hot spot" or "hotspot"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:47
	248	((image or icon or region or area) near7 ("hot spot" or "hotspot")) same (template or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:58
	44	(((image or icon or region or area) near7 ("hot spot" or "hotspot")) same (template or reference)) same (cursor or pointing or mouse or click)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:51
	10	("5065345"   "5109482"   "5204947"   "5319455"   "5442390"   "5453779"   "5461415"   "5528513"   "5539871"   "5596705").PN.	USPAT	2003/04/17 21:54
	236	((image or icon or region or area) near7 ("hot spot" or "hotspot")) same (cursor or mouse or pointing or click)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 21:58
	41	("hot spot" or hotspot) near3 (graphic)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 22:06
	7718	((select\$3 or pick\$3 or choos\$3) near5 image) with (template or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 22:10
	4	(((select\$3 or pick\$3 or choos\$3) near5 image) with (template or reference)) same ("hot spot" or hotspot)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/17 22:11
	431304	(point\$3 or stylus) with (position of location or coordinat\$3 or spot)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 13:49
	32933	((point\$3 or stylus) with (position of location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 14:11
	146	(((point\$3 or stylus) with (position of location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near (match\$3 or compar\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 14:35
	335	(((point\$3 or stylus) with (position of location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near3 (match\$3 or compar\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 14:38
	189	(((point\$3 or stylus) with (position of location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same (((image or icon or template or pattern or reference) near3 (match\$3 or compar\$3))) not (((point\$3 or stylus) with (position of location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near (match\$3 or compar\$3)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 14:38

	591	(345/856 or 345/863).ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 15:24
	414	((point\$3 or stylus) with (position or location or coordinat\$3 or spot)) and ((345/856 or 345/863).ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 15:25
	36	(((point\$3 or stylus) with (position or location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)) and ((345/856 or 345/863).ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 15:25
	85	(((point\$3 or stylus) with (position or location or coordinat\$3 or spot)) and ((345/856 or 345/863).ccls.)) and ((template or reference) near4 (image or shape or icon or pattern or region or area))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 15:30
	2	5448668.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 16:23
	2	5448688.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 16:23
	628	382/313 or 382/314	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 16:43
	306	(382/313 or 382/314).ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 16:44
	12	(((point\$3 or stylus) with (position or location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)) and ((382/313 or 382/314).ccls.))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 16:44
	71599	(pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 17:41
	5036	((pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 17:48
	25	(((pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near3 (match\$3 or compar\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 17:45
	79	(((pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)) and (345/856 or 345/863).ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/18 17:49

	4	("4464655"   "4523188"   "4698626"   "4710758").PN. (PDA or "personal digital assistant" or handheld or hand-held or tablet) same ((point\$3 or stylus or cursor) near7 (icon or image or display or template))	USPAT USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 17:52 2003/04/18 18:50
	69	((PDA or "personal digital assistant" or handheld or hand-held or tablet) same ((point\$3 or stylus or cursor) near7 (icon or image or display or template))) same (reposition\$3 or re-position\$3 or relocat\$3 or re-locat\$3 or ((correct\$3 or adjust\$3) near4 (point\$3 or coordinate or position or location)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 18:53
	2	4719455.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 18:56
	20	345/812.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 19:36
	41	345/858.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 19:41
	81	345/862.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 19:41
	9	("4661810"   "4668947"   "4683468"   "4698625"   "4808979"   "4835526"   "4987527"   "5162779"   "5270688").PN.	USPAT	2003/04/18 20:17
	20	((icon or thumb-nail or thumbnail) with (hotspot or "hot spot" or (point near3 interest))) same (template or (reference near3 image) or ROM or RAM or memory or storage or "data base")	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 20:32
	6200	(register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference) near2 (image or icon))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 20:50
	5	((register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference) near2 (image or icon))) with (((hot or hit) near2 (key or spot or point)) or "hotspot" or (point near2 interest))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 20:48
	192	((register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference) near2 (image or icon))) same (mouse or cursor or stylus or pointer or "pointing device")	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/18 20:51
	79	345/162.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT;	2003/04/24 14:10
	710	345/179.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 14:10

	60	((point\$3 or stylus) with (position or location or coordinate\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locate\$3 or relocate\$3) and (345/179.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 14:24
	347	(compar\$3 or match\$3) with ((image or pattern or mask or label or icon or area or region) near4 (around or within) near2 (point))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 19:28
	347	(compar\$3 or match\$3) with ((image or pattern or mask or label or icon or area or region) near4 (around or within or vicinity) near2 (point))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 19:30
	114	((compar\$3 or match\$3) with ((image or pattern or mask or label or icon or area or region) near4 (around or within or vicinity) near2 (point))) and (345/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 19:31
	859	(defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point) near6 (within or around) near7 (image or pattern or icon or map or model or shape)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:05
	39	((defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point) near6 (within or around) near7 (image or pattern or icon or map or model or shape)) same (cursor or stylus or pointer or pointing)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:06
	35	((defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point) near6 (within or around) near7 (image or pattern or icon or map or model or shape)) and ((compar\$3 or match\$3) with ((image or pattern or mask or label or icon or area or region) near4 (around or within or vicinity) near2 (point)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:06
	448	(compar\$3 or match\$3) with ((image or pattern or model or area or region or icon) near5 (within or around or vicinity) near3 (point or center or coordinate or origin))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:35
	9	((compar\$3 or match\$3) with ((image or pattern or model or area or region or icon) near5 (within or around or vicinity) near3 (point or center or coordinate or origin))) with (cursor or pointer or mouse or stylus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:36
	130	((compar\$3 or match\$3) with ((image or pattern or model or area or region or icon) near5 (within or around or vicinity) near3 (point or center or coordinate or origin))) and (345/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:37
	130	(touch near2 (screen or panel or display)) same ((template or reference) same ((shape or icon or label or image or mask or bitmap) same (pointer or stylus or pen or cursor)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 20:57
	10	(touch near2 (screen or panel or display)) same ((template) same ((shape or icon or label or image or mask or bitmap) same (pointer or stylus or pen or cursor)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 21:00
	1032	((defin\$3 or identif\$3 or label\$3) near4 (image or area or region or pattern or icon)) near4 ((around or within or vicinity) near3 (point\$2 or center or origin or point))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 21:07

	4	((defin\$3 or identif\$3 or label\$3) near4 (image or area or region or pattern or icon)) near4 ((around or within or vicinity) near3 (point\$2 or center or origin or point))) same ((compar\$3 or match\$3) with (template))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 21:08
	2	6477275.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/24 21:15
	4996	((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3) near6 (image or icon or pattern or area or region or mask or bitmap or label))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/25 10:19
	4	(((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3) near6 (image or icon or pattern or area or region or mask or bitmap or label))) same ((compar\$3 or match\$3) with (template or reference))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/25 10:22
	6516	((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3 or defin\$3 or identif\$4) near6 (image or icon or pattern or area or region or mask or bitmap or label))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/25 10:21
	24	(((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3 or defin\$3 or identif\$4) near6 (image or icon or pattern or area or region or mask or bitmap or label))) same ((compar\$3 or match\$3) with (template or reference))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/25 10:22
	1	Prendin-Walter.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/25 11:27